




#### AIR-KING OYSTER, 40 MM, OYSTERSTEEL

The Rolex Air-King pays tribute to the pioneers of flight and the Oyster's roles in the epic story of aviation. With its 40mm case in Oystersteel, solid-link Oyster bracelet with Oysterclasp, and distinctive black dial, the Air-King perpetuates the aeronautical heritage of the original Rolex Oyster.





# OYSTERSTEEL

Rolex uses Oystersteel for its steel watch cases. Specially developed by the brand, Oystersteel belongs to the 904L steel family, alloys most commonly used in high-technology and in the aerospace and chemical industries, where maximum resistance to corrosion is essential. Oystersteel is extremely resistant, offers an exceptional finish once polished and maintains its beauty even in the harshest environments.



## THE OYSTER BRACELET

The Oyster bracelet is a perfect alchemy of form and function, aesthetics and technology, designed to be both robust and comfortable. It is equipped with an Oysterclasp and the Easylink comfort extension link, also exclusive to Rolex. This ingenious system allows the wearer to increase the bracelet length by approximately 5 mm, providing additional comfort in any circumstance.

# BLACK DIAL

The Air-King dial features a distinctive black dial with a combination of large 3, 6 and 9 numerals marking the hours and a prominent minute scale for navigational time readings. It bears the name Air-King in the same lettering that was designed specially for the model in the 1950s.



# CONQUERING THE SKY

The new Air-King epitomizes Rolex's privileged ties with the world of aviation during its golden age in the 1930s. It was a period when spectacular progress in aircraft performance constantly ex-panded humanity's capacity to conquer the skies, and led to the introduction of long-distance flights. One of the pioneers of this era, English aviator Charles Douglas Barnard, set a number of flight records. Of the Oyster, he said: "The peculiar qualities of this Rolex watch render it eminently suitable for flying purposes and I propose to use it on all my long-distance flights in the future".

# 3131 MOVEMENT

The Air-King is equipped with calibre 3131, a self-winding mechanical movement entirely developed and manufactured by Rolex. Like all Rolex Perpetual movements, the 3131 is a certified Swiss chronometer, a designation reserved for high-precision watches that have successfully passed the Swiss Official Chronometer Testing Institute (COSC) tests. Its architecture, in common with all Oyster watch movements, makes it singularly reliable.



# REFERENCE 116900

### MODEL CASE

MODEL CASE Oyster, 40 mm, Oystersteel

OYSTER ARCHITECTURE Monobloc middle case, screw-down case back and winding crown

#### DIAMETER 40 mm

MATERIAL Oystersteel

#### BEZEL

Smooth

WINDING CROWN Screw-down, Twinlock double waterproofness system

**CRYSTAL** Scratch-resistant sapphire

WATER-RESISTANCE Waterproof to 100 metres / 330 feet

### MOVEMENT

**MOVEMENT** Perpetual, mechanical , self-winding , with a magnetic shield to protect the movement

CALIBRE 3131, Manufacture Rolex

PRECISION -2/+2 sec/day, after casing

**FUNCTIONS** Centre hour, minute and seconds hands. Stop-seconds for precise time setting

**OSCILLATOR** Paramagnetic blue Parachrom hairspring

WINDING Bidirectional self-winding via Perpetual rotor

POWER RESERVE Approximately 48 hours

### BRACELET

**BRACELET** Oyster, flat three-piece links

BRACELET MATERIAL Ovstersteel

CLASP Folding Oysterclasp with Easylink 5 mm comfort extension link

DIAL

**DIAL** Black

**DETAILS** Highly legible Chromalight display with longlasting blue luminescence

#### CERTIFICATION

**CERTIFICATION** Superlative Chronometer (COSC + Rolex certification after casing)



#### EXPLORE AND DISCOVER MORE ON ROLEX.COM

All intellectual property rights such as trademarks, service marks, trade names, designs and copyrights are reserved. Nothing contained in this website may be reproduced without written permission. Rolex reserves the right at all times to modify the models featured in the present website.